

Settings Image Settings
RESULT
Certificate No. :1
SELECTED INDENTATION



Over **60** years of
consistent excellence

Optical Vickers Cum Brinell Hardness Testing Machine

Model :VcB-250



Wide Testing Range from
Soft metal to medium hardness Steel.



Motorized loading/unloading.



Built in Projection Screen
to get accurate Result





Over 60 years of consistent excellence

Optical Vickers Cum Brinell Hardness Testing Machine

Model : VcB-250

Features:

- Major both Vickers & Brinell hardness of a metal in a one machine.
- Easy load selection with push knob
- Load range from 5 kg to 250kg
- Optical Magnifications at screen - 35X, 70X
- A precision indentation measurement
- Load accuracy $\pm 1\%$
- Easy load-unload method.
- High accuracy and repeatability of measurement.
- Wide testing range from soft metal to hard

Description:

Vickers cum Brinell machine is compact hardness testing machine and has been designed for measuring both Brinell Hardness and Vickers Hardness of metal of all types.

These testers are suitable for measuring the hardness of precision metallic parts with wide testing range from soft to hard and their accurate results are obtained as be standard.

Construction:

FIE Make Hardness Testers of Vickers series are designed and manufactured for very high accuracy. Ease of operation, reliability and long-term stability. These machines are suitable for checking Vickers or Brinell Hardness of steel and other metals Loads are applied with dead weights and are selectable with a push button.

The measurement of Diagonal (for Vickers) & Diameter (For Brinell) of indentation is done with the help of built-in optical system with graduated readout with micrometer. After taking indentation on work-piece the objective lens is automatically swiveled in position. Indentation image appears on the focusing screen fitted in the front of the machine. Loading cycle is started with push button in the front where unloading is done manually by a hand lever.

Technical Specifications :

Test Loads for Vickers Test	5,10,15,20,30,40,50,60,100,120 kgf.
Test Loads for Brinell Test	15.625,31.25,62.5,187.5,250 kgf
Optical Magnification	35X, 70 X
Max. Test Height (mm)	200
Throat Depth (mm)	150
Machine Dimension (mm)	L780 x W361 x H 1100
Weight (Approx.)	250 kg
Power Supply	220 VAC, 50 Hz, 1 Phase



Standard Accessories :

Standard Test Block	1 No.
Vickers Diamond Indenter	1 No.
2.5 mm Ball Indentor	1 No.
5 mm Ball Indentor	1 No.
HV Standard Test Block	1 No.
Brinell Test Block 187.5/2.5 HBW	1 No.
Steel Ball $\varnothing 2.5$ & $\varnothing 5.0$ mm	5 Nos. each
5X Objective	1 No.
10 X Objective	1 No.
Spanners	1 Set
Electric Cord	1 No.
Halogen Lamp	1 No.
Telescopic Cover	1 Set
Instruction Manual	1 Book

Due to constant Research & Development, Specifications and Features are subject to change without notice.

Manufactured By :



Fuel Instruments & Engineers Pvt. Ltd.

Plot No. 68 & 89, Parvati Co-op Industrial Estate, YADRAV-416 145 (Ichalkaranji),
Tal : Shirol, Dist : Kolhapur, Maharashtra State, INDIA.

Tel : +91 2322 252137, Cell : +91 98223 94981, E-mail : mrk@fietest.com

Web : www.fiegroup.in, www.fietest.com, www.fuelinstrument.com